

# System overview

Distribution boards, assembly kits and accessories

## ALPHA UNIVERSAL 800



## ALPHA UNIVERSAL 630



## Unequipped distribution boards



ALPHA 800




ALPHA 630



ALPHA 125

## Assembly kits

For molded case  
circuit breakersFor switch  
disconnectorsFor fuse switch  
disconnectorsFor modular  
installation devicesFor front cover  
with cutout

### Note:

You will find a detailed range of accessories with the basic units and in the Accessories section.

## ALPHA UNIVERSAL 125



### Busbars



Cu busbars



Busbar supports

### Accessories



Bases



Crossbars



Partitions



Front covers



Locking systems

**Note:**

You will find a detailed range of accessories with the basic units and in the Accessories section.





# Special colors for ALPHA

## Additional options

To specify the options, add "-Z" to the complete article number and indicate the appropriate order code(s).

8GK.....-.....-..... -Z

Order code

	RAL 1003, signal yellow				C	2 7
	RAL 2000, yellow orange				C	2 5
	RAL 3000, flame red				C	3 1
	RAL 5005, signal blue				C	2 3
	RAL 5010, gentian blue				C	2 4
	RAL 5017, traffic blue				C	2 2
	RAL 6018, yellow green				C	2 6
	RAL 7032, pebble gray				C	1 3
	RAL 7033, cement gray				C	2 8
	RAL 7035, light gray	Smooth			C	1 1
		Surface structure			C	1 2
	RAL 7038, agate gray				C	1 4
	RAL 9001, cream				C	2 1
	RAL 9002, gray white				C	1 9
	RAL 9003, signal white				C	2 0
	RAL 9005, jet black				C	1 7
	RAL 9010, pure white	Smooth			C	1 5
		Surface structure			C	3 0
	RAL 9016, traffic white				C	1 0



# ALPHA 800 UNIVERSAL floor-mounted distribution boards

Rated current 800 A

## Unequipped distribution boards

Degree of protection IP30/IP55



Height Outside	Inside	Depth Outside	Width Outside	Inside	Protection class I
1850 mm	1800 mm	400 mm	350 mm	300 mm	8GK2420-6KK14
			650 mm	600 mm	8GK2420-6KK24
			950 mm	900 mm	8GK2420-6KK34
2050 mm	2000 mm	400 mm	350 mm	300 mm	8GK2420-7KK14
			650 mm	600 mm	8GK2420-7KK24
			950 mm	900 mm	8GK2420-7KK34

## Accessories

## Unequipped distribution boards

### Sheet-steel doors

Types	Width	Cubicle height	Cubicle width	Article No.
Standard	-	1800 mm	300 mm	8GK9515-8KK11
			600 mm	8GK9515-8KK21
			900 mm	8GK9515-8KK31
		2000 mm	300 mm	8GK9515-8KK12
			600 mm	8GK9515-8KK22
			900 mm	8GK9515-8KK32
For cabling compartment	250 mm	1800 mm	900 mm	8GK9515-8KK41
		2000 mm	900 mm	8GK9515-8KK42

### Transparent doors

Types	Cubicle height	Cubicle width	Article No.
Standard	1800 mm	300 mm	8GK9505-8KK12
		600 mm	8GK9505-8KK21
		900 mm	8GK9505-8KK31
	2000 mm	300 mm	8GK9505-8KK10
		600 mm	8GK9505-8KK22
		900 mm	8GK9505-8KK32
Giugiaro design	1800 mm	600 mm	8GK9507-8KK21
		900 mm	8GK9507-8KK31
		900 mm	8GK9507-8KK32
	2000 mm	600 mm	8GK9507-8KK22
		900 mm	8GK9507-8KK31
		900 mm	8GK9507-8KK32

### Double doors

Types	Width	Cubicle height	Cubicle width	Article No.
Made of sheet steel	600 + 250 mm	1800 mm	900 mm	8GK9515-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9515-8KK22 + 8GK9515-8KK42
Transparent door + sheet-steel door	600 + 250 mm	1800 mm	900 mm	8GK9505-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9505-8KK22 + 8GK9515-8KK42
Transparent door in Giugiaro design + sheet-steel door	600 + 250 mm	1800 mm	900 mm	8GK9507-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9507-8KK22 + 8GK9515-8KK42

Unequipped  
distribution boards

## Accessories

## Vertical profile bars for cabling compartment/busbars




Cubicle height	Cubicle width	Article No.
1800 mm	300/600/900 mm	8GK9200-8KK00
2000 mm	300/600/900 mm	8GK9200-8KK01

## Front covers for cabling compartment



Height	Width	Cubicle height	Cubicle width	Article No.
800 + 1000 mm	250/300 mm	1800 mm	300 mm	8GK9607-5KK10 + 8GK9607-7KK10
			900 mm	8GK9606-5KK10 + 8GK9606-7KK10
1000 + 1000 mm	250/300 mm	2000 mm	300 mm	8GK9607-7KK10 + 8GK9607-7KK10
			900 mm	8GK9606-7KK10 + 8GK9606-7KK10

## Bases



Color	Height	Cubicle height	Cubicle width	Article No.
Blue-green	100 mm	1800/2000 mm	300 mm	8GK9906-0KK15
			600 mm	8GK9906-0KK25
			900 mm	8GK9906-0KK35

## Side panels



Color	Cubicle height	Cubicle width	Article No.
RAL 7035 (pair)	1800 mm	300/600/900 mm	8GK9200-8KK04
	2000 mm	300/600/900 mm	8GK9200-8KK05
Blue-green	1800 mm	300/600/900 mm	8GK9200-8KK07
	2000 mm	300/600/900 mm	8GK9200-8KK08

## Supports



Types	Height	Article No.
Mounting stays (pair)	1600 mm	8GK6850-0KK02
	1800 mm	8GK6850-0KK03
	2000 mm	8GK6850-0KK04
Rear universal supports	1800 mm	8GK6850-0KK05
	2000 mm	8GK6850-0KK06


## Crossbars



Types	Article No.
Upper crossbar	8GK6850-0KK00
Lateral crossbar	8GK6850-0KK01
Adapter for installation of assembly kits in the cabling compartment, width 250 mm (2 units)	8GK9920-0KK01

# ALPHA 630 UNIVERSAL wall-mounted distribution boards

Rated current 630 A

					Flat pack	Unequipped distribution boards	Distribution boards with built-in distribution board panels
					Degree of protection		
					IP43	IP30/IP55	IP55
							
Height	Depth	Width			Protection class I	Protection class I	Protection class I
Outside	Outside	Outside	Outside	Inside			
450 mm	250 mm	650 mm	400 mm	600 mm	8GK2100-0KS23	–	–
650 mm	250 mm	650 mm	600 mm	600 mm	8GK2100-1KS23	8GK2124-1KK23	–
850 mm	250 mm	650 mm	800 mm	600 mm	8GK2100-2KS23	8GK2124-2KK23	8GK9988-0KL00
1050 mm	250 mm	650 mm	1000 mm	600 mm	8GK2100-3KS23	8GK2124-3KK23	8GK9988-0KL01
				900 mm	8GK2100-3KL23	8GK2124-3KK33	–
1250 mm	250 mm	650 mm	1200 mm	600 mm	8GK2100-4KS23	8GK2124-4KK23	8GK9988-0KL02
				900 mm	8GK2100-4KL23	8GK2124-4KK33	–

## Accessories

### Sheet-steel doors



Types	Cubicle height	Cubicle width	Flat Pack IP43	Unequipped distribution boards IP55
			Article No.	Article No.
Standard	400 mm	600 mm	8GK9515-3KK20	–
	600 mm	600 mm	8GK9515-4KK20	8GK9515-4KK20
	800 mm	600 mm	8GK9515-5KK20	8GK9515-5KK23
	1000 mm	600 mm	8GK9515-6KK20	8GK9515-6KK23
		900 mm	8GK9515-6KK30	8GK9515-6KK33
	1200 mm	600 mm	8GK9515-7KK20	8GK9515-7KK23
For cabling compartment	1000 mm	900 mm	8GK9515-6KK40	8GK9515-6KK43
		900 mm	8GK9515-7KK40	8GK9515-7KK33
	1200 mm	900 mm	8GK9515-6KK40	8GK9515-6KK43
		600 + 300 mm	–	8GK9515-7KK43

### Transparent doors

Types	Cubicle height	Cubicle width	Flat Pack IP43	Unequipped distribution boards IP55
			Article No.	Article No.
Standard	400 mm	600 mm	8GK9505-3KK20	–
	600 mm	600 mm	8GK9505-4KK20	8GK9505-4KK20
	800 mm	600 mm	8GK9505-5KK20	8GK9505-5KK23
	1000 mm	600 mm	8GK9505-6KK20	8GK9505-6KK23
		900 mm	8GK9505-6KK30	8GK9505-6KK33
	1200 mm	600 mm	8GK9505-7KK20	8GK9505-7KK23
Giugiaro design	400 mm	600 mm	8GK9507-2KK23	–
		600 mm	8GK9507-4KK23	8GK9507-4KK23
	800 mm	600 mm	8GK9507-5KK23	8GK9507-5KK23
	1000 mm	600 mm	8GK9507-7KK23	8GK9507-7KK23
		900 mm	8GK9507-7KK33	8GK9507-7KK33
	1200 mm	600 mm	8GK9507-8KK23	8GK9507-8KK23
	900 mm	8GK9507-8KK33	8GK9507-8KK33	

15

## Accessories

					Flat Pack IP43	Unequipped distribution boards IP55	
<b>Double doors</b>							
	<b>Types</b>	<b>Width</b>	<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>	
	Made of sheet steel	600 + 250 mm <sup>1)</sup>	1000 mm	900 mm	8GK9515-6KK20 + 8GK9515-6KK40	8GK9515-6KK23 + 8GK9515-6KK43	
			1200 mm	900 mm	8GK9515-7KK20 + 8GK9515-7KK40	8GK9515-7KK23 + 8GK9515-7KK43	
	Transparent door + sheet-steel door	600 + 250 mm	1000 mm	900 mm	8GK9505-6KK20 + 8GK9515-6KK40	8GK9505-6KK23 + 8GK9515-6KK43	
			1200 mm	900 mm	8GK9505-7KK20 + 8GK9515-7KK40	8GK9505-7KK23 + 8GK9515-7KK43	
	Transparent door in Giugiaro design + sheet-steel door	600 + 250 mm <sup>1)</sup>	1600 mm	900 mm	8GK9507-7KK23 + 8GK9515-6KK40	8GK9507-7KK23 + 8GK9515-6KK43	
			1800 mm	900 mm	8GK9507-8KK23 + 8GK9515-7KK40	8GK9507-8KK23 + 8GK9515-7KK43	
	<b>Vertical profile bars for cabling compartment</b>						
				<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>
			1000 mm	900 mm	8GK9125-7KK01	8GK9125-7KK01	
			1200 mm	900 mm	8GK9127-8KK01	8GK9127-8KK01	
<b>Front covers for cabling compartment</b>							
	<b>Height</b>	<b>Width</b>	<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>	
	1000 mm	250/300 mm	1000 mm	900 mm	8GK9606-7KK10	8GK9606-7KK10	
	600 + 600 mm	250/300 mm	1200 mm	900 mm	8GK9606-4KK10 + 8GK9606-4KK10	8GK9606-4KK10 + 8GK9606-4KK10	
<b>Bases</b>							
	<b>Color</b>	<b>Height</b>	<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>	
	Blue-green	100 mm	600/1200 mm	600 mm	8GK9906-0KK23	8GK9906-0KK23	
			1000/1200 mm	900 mm	8GK9906-0KK33	8GK9906-0KK33	
<b>Covers for cable entry and cable duct</b>							
			<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>	
			600/1200 mm	600 mm	8GK9920-0KK41	8GK9920-0KK41	
			1000/1200 mm	900 mm	8GK9920-0KK42	8GK9920-0KK42	
<b>Side panels</b>							
	<b>Color</b>		<b>Cubicle height</b>	<b>Cubicle width</b>	<b>Article No.</b>	<b>Article No.</b>	
	Blue-green		600 mm	600 mm	–	8GK9122-4KK01	
			800 mm	600 mm	–	8GK9122-5KK01	
			1000 mm	600/900 mm	–	8GK9122-6KK01	
			1200 mm	600/900 mm	–	8GK9122-7KK01	

<sup>1)</sup> For distribution boards with a width of 900 mm with double door and vertical profile bar

# ALPHA 630 UNIVERSAL floor-mounted distribution boards

Rated current 630 A

					Flat pack	Unequipped distribution boards	Control cabinet with built-in assembly kits for modular installation devices	With assembly kit for 3VL molded case circuit breakers			
					Degree of protection						
					IP43	IP30/IP55	IP55	IP55			
											
Height	Outside	Inside	Depth	Outside	Width	Outside	Inside	Protection class I	Protection class I	Protection class I	Protection class I
1650 mm	1600 mm	250 mm	350 mm	300 mm	8GK2300-5KL13	8GK2325-5KK13	–	–	–	–	–
					8GK2300-5KL23	8GK2325-5KK23	–	–	–	–	
					8GK2300-5KL43	8GK2325-5KK43	–	–	–	–	
1850 mm	1800 mm	250 mm	350 mm	300 mm	8GK2300-6KL13	8GK2325-6KK13	–	–	–	–	
					8GK2300-6KL23	8GK2325-6KK23	8GK2348-7KL00	8GK2348-7KL01	–	–	
					8GK2300-6KL43	8GK2325-6KK43	–	–	–	–	
2050 mm	2000 mm	250 mm	350 mm	300 mm	8GK2300-7KL13	8GK2325-7KK13	–	–	–	–	
					8GK2300-7KL23	8GK2325-7KK23	–	–	–	–	
					8GK2300-7KL43	8GK2325-7KK43	–	–	–	–	



# ALPHA 630 UNIVERSAL floor-mounted distribution boards

Rated current 630 A

## Accessories

### Sheet-steel doors

					Flat Pack	Unequipped distribution boards
Types	Width	Cubicle height	Cubicle width	Article No.	Article No.	
Standard	–	1600 mm	300 mm	8GK9515-8KK10	8GK9515-8KK10	
			600 mm	8GK9515-8KK20	8GK9515-8KK20	
			900 mm	8GK9515-8KK30	8GK9515-8KK30	
	1800 mm	–	300 mm	8GK9515-8KK11	8GK9515-8KK11	
			600 mm	8GK9515-8KK21	8GK9515-8KK21	
			900 mm	8GK9515-8KK31	8GK9515-8KK31	
	2000 mm	–	300 mm	8GK9515-8KK12	8GK9515-8KK12	
			600 mm	8GK9515-8KK22	8GK9515-8KK22	
			900 mm	8GK9515-8KK32	8GK9515-8KK32	
For cabling compartment	250 mm	1600 mm	900 mm	8GK9515-8KK40	8GK9515-8KK40	
		1800 mm	900 mm	8GK9515-8KK41	8GK9515-8KK41	
		2000 mm	900 mm	8GK9515-8KK42	8GK9515-8KK42	

### Transparent doors

Types	Cubicle height	Cubicle width	Article No.	Article No.	
Standard	1600 mm	300 mm	8GK9505-8KK11	8GK9505-8KK11	
		600 mm	8GK9505-8KK20	8GK9505-8KK20	
		900 mm	8GK9505-8KK30	8GK9505-8KK30	
	1800 mm	–	300 mm	8GK9505-8KK12	8GK9505-8KK12
			600 mm	8GK9505-8KK21	8GK9505-8KK21
			900 mm	8GK9505-8KK31	8GK9505-8KK31
	2000 mm	–	300 mm	8GK9505-8KK10	8GK9505-8KK10
			600 mm	8GK9505-8KK22	8GK9505-8KK22
			900 mm	8GK9505-8KK32	8GK9505-8KK32
Giugiaro design	1600 mm	600 mm	8GK9507-8KK20	8GK9507-8KK20	
		900 mm	8GK9507-8KK30	8GK9507-8KK30	
	1800 mm	600 mm	8GK9507-8KK21	8GK9507-8KK21	
		900 mm	8GK9507-8KK31	8GK9507-8KK31	
	2000 mm	600 mm	8GK9507-8KK22	8GK9507-8KK22	
		900 mm	8GK9507-8KK32	8GK9507-8KK32	

### Double doors

Types	Width	Cubicle height	Cubicle width	Article No.	Article No.
Made of sheet steel	600 + 250 mm	1600 mm	900 mm	8GK9515-8KK20 + 8GK9515-8KK40	8GK9515-8KK20 + 8GK9515-8KK40
		1800 mm	900 mm	8GK9515-8KK21 + 8GK9515-8KK41	8GK9515-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9515-8KK22 + 8GK9515-8KK42	8GK9515-8KK22 + 8GK9515-8KK42
Transparent door + sheet-steel door	600 + 250 mm	1600 mm	900 mm	8GK9505-8KK20 + 8GK9515-8KK40	8GK9505-8KK20 + 8GK9515-8KK40
		1800 mm	900 mm	8GK9505-8KK21 + 8GK9515-8KK41	8GK9505-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9505-8KK22 + 8GK9515-8KK42	8GK9505-8KK22 + 8GK9515-8KK42
Transparent door in Giugiaro design + sheet-steel door	600 + 250 mm	1600 mm	900 mm	8GK9507-8KK20 + 8GK9515-8KK40	8GK9507-8KK20 + 8GK9515-8KK40
		1800 mm	900 mm	8GK9507-8KK21 + 8GK9515-8KK41	8GK9507-8KK21 + 8GK9515-8KK41
		2000 mm	900 mm	8GK9507-8KK22 + 8GK9515-8KK42	8GK9507-8KK22 + 8GK9515-8KK42

### Vertical profile bars for cabling compartment

Cubicle height	Cubicle width	Article No.	Article No.
1600 mm	900 mm	8GK9125-8KK11	8GK9125-8KK11
1800 mm	900 mm	8GK9125-8KK12	8GK9125-8KK12
2000 mm	900 mm	8GK9125-8KK13	8GK9125-8KK13

## Accessories

### Front covers for cabling compartment

Height	Width	Cubicle height	Cubicle width	Flat Pack		Unequipped distribution boards	
				Article No.	Article No.	Article No.	Article No.
800 + 800 mm	250/300 mm	1600 mm	300 mm	8GK9607-5KK10 + 8GK9607-5KK10	8GK9607-5KK10 + 8GK9607-5KK10	8GK9607-5KK10 + 8GK9607-5KK10	8GK9607-5KK10 + 8GK9607-5KK10
			900 mm	8GK9606-5KK10 + 8GK9606-5KK10	8GK9606-5KK10 + 8GK9606-5KK10	8GK9606-5KK10 + 8GK9606-5KK10	8GK9606-5KK10 + 8GK9606-5KK10
800 + 1000 mm	250/300 mm	1800 mm	300 mm	8GK9607-5KK10 + 8GK9607-7KK10	8GK9607-5KK10 + 8GK9607-7KK10	8GK9607-5KK10 + 8GK9607-7KK10	8GK9607-5KK10 + 8GK9607-7KK10
			900 mm	8GK9606-5KK10 + 8GK9606-7KK10	8GK9606-5KK10 + 8GK9606-7KK10	8GK9606-5KK10 + 8GK9606-7KK10	8GK9606-5KK10 + 8GK9606-7KK10
1000 + 1000 mm	250/300 mm	2000 mm	300 mm	8GK9607-7KK10 + 8GK9607-7KK10	8GK9607-7KK10 + 8GK9607-7KK10	8GK9607-7KK10 + 8GK9607-7KK10	8GK9607-7KK10 + 8GK9607-7KK10
			900 mm	8GK9606-7KK10 + 8GK9606-7KK10	8GK9606-7KK10 + 8GK9606-7KK10	8GK9606-7KK10 + 8GK9606-7KK10	8GK9606-7KK10 + 8GK9606-7KK10

### Bases

Color	Height	Cubicle height	Cubicle width	Article No.	Article No.
Blue-green	100 mm	1600/2000 mm	300 mm	8GK9906-0KK13	8GK9906-0KK13
		1600/2000 mm	600 mm	8GK9906-0KK23	8GK9906-0KK23
		1600/2000 mm	900 mm	8GK9906-0KK33	8GK9906-0KK33

### Covers for cable entry and cable duct

Cubicle height	Cubicle width	Article No.	Article No.
1600/2000 mm	300 mm	8GK9920-0KK40	8GK9920-0KK40
1600/2000 mm	600 mm	8GK9920-0KK41	8GK9920-0KK41
1600/2000 mm	900 mm	8GK9920-0KK42	8GK9920-0KK42

### Side panels

Color	Cubicle height	Cubicle width	Article No.	Article No.
RAL 7035 (pair)	1600 mm	300/600/900 mm	8GK9120-8KK00	8GK9122-8KK03
	1800 mm	300/600/900 mm	8GK9120-8KK01	8GK9122-8KK04
	2000 mm	300/600/900 mm	8GK9120-8KK02	8GK9122-8KK05

# ALPHA UNIVERSAL 125 distribution boards

Rated current 125 A

						Surface-mounting distribution boards		Flush-mounting distribution boards	
						With sheet-steel door	With transparent door	With sheet-steel door	With transparent door
Degree of protection						IP43	IP43	IP31D	IP31D
									
Height	Depth	Width	Tiers	Protection class I	Protection class I	Protection class I	Protection class I	Protection class I	Protection class I
Outside	Inside	Outside	Outside	Inside	(MW = 18 mm)				
450 mm	400 mm	140 mm	660 mm	600 mm	48 (2 × 24)	8GK2042-0KL21	8GK2042-0KM21	–	–
650 mm	600 mm	140 mm	660 mm	600 mm	72 (3 × 24)	8GK2042-1KL21	8GK2042-1KM21	–	–
800 mm	850 mm	140 mm	660 mm	600 mm	96 (4 × 24)	8GK2042-2KL21	8GK2042-2KM21	–	–
1050 mm	1000 mm	140 mm	660 mm	600 mm	120 (5 × 24)	8GK2042-3KL21	8GK2042-3KM21	–	–
1250 mm	1200 mm	140 mm	660 mm	600 mm	144 (6 × 24)	8GK2042-4KL21	8GK2042-4KM21	–	–
508 mm	400 mm	140 mm	718 mm	600 mm	48 (2 × 24)	–	–	8GK2043-0KL21	8GK2043-0KM21
708 mm	600 mm	140 mm	718 mm	600 mm	72 (3 × 24)	–	–	8GK2043-1KL21	8GK2043-1KM21
908 mm	800 mm	140 mm	718 mm	600 mm	96 (4 × 24)	–	–	8GK2043-2KL21	8GK2043-2KM21
1108 mm	1000 mm	140 mm	718 mm	600 mm	120 (5 × 24)	–	–	8GK2043-3KL21	8GK2043-3KM21
1308 mm	1200 mm	140 mm	718 mm	600 mm	144 (6 × 24)	–	–	8GK2043-4KL21	8GK2043-4KM21

## Accessories

### Front covers

- With quick-lock screws and integrated grounding connection

Type	Height	Width	Article No.
Closed	50 mm	600 mm	8GK9620-1KK20
	100 mm	600 mm	8GK9621-1KK20
	150 mm	600 mm	8GK9622-1KK20
	200 mm	600 mm	8GK9623-1KK20
	400 mm	600 mm	8GK9622-2KK20
	600 mm	600 mm	8GK9622-4KK20
	800 mm	600 mm	8GK9622-5KK20
For modular installation devices	150 mm	600 mm	8GK9608-1KK22
	200 mm	600 mm	8GK9608-1KK20
	300 mm	600 mm	8GK9608-2KK22
	400 mm	600 mm	8GK9608-2KK20
	450 mm	600 mm	8GK9608-3KK22
	600 mm	600 mm	8GK9608-4KK20

### DIN rails for modular installation devices

Width	Article No.
600 mm	8GK9920-0KK11

### Holders for cable duct

Width	Article No.
600 mm	8GK9920-0KK20

### Grounding bars, PE

Width	Article No.
600 mm (20 × 5 mm <sup>2</sup> )	8GK9920-0KK10

## Accessories

### Hinge for front cover



Version	Article No.
For hinged covers	8GK9120-0KK11

### Hinges for masking frames



Version	Scope of supply	Article No.
Hinge, incl. fixing accessories	1 set	8PQ2000-0BA08

### Rotary handles



Version	Color	Article No.
Plastic	Black	8GK9560-0KK04
Lockable	Black	8GK9560-0KK13

### Profile semicylinders E012



Version	Article No.
Insert and key 8GK9560	8GK9560-0KK07

### Rotary handles for profile semicylinders



Version	Article No.
For 40 mm profile semicylinders	8GK9560-0KK06

### Quick-lock screws for ALPHA cabinets with ¼ turn




Scope of supply	Article No.
20 units	8GK9562-0KK00

# Assembly kits

For 3VA molded case circuit breakers

Horizontal



Switches/breakers				Distribution board		With RCD module	Without RCD module
Type	Rated current	Quantity	Rotary operating mechanism	Height outside	Width outside	Infeed side	
3VA10.. and 3VA11..	100 A/160 A	1	–	200 mm	600 mm	8GK6735-2KK23	8GK6730-2KK23
			■	200 mm	600 mm	8GK6735-2KK33	8GK6730-2KK33
			■	200 mm	900 mm	–	8GK6733-2KK23
3VA12..	250 A	1	–	200 mm	600 mm	8GK6736-2KK23	8GK6721-2KK23
			■	200 mm	600 mm	8GK6736-2KK33	8GK6721-2KK33
			■	200 mm	900 mm	–	8GK6734-2KK23
3VA20.. and 3VA22..	100 A/250 A	1	–	200 mm	600 mm	8GK6725-2KK23	8GK6720-2KK23
			■	200 mm	600 mm	8GK6725-2KK33	8GK6720-2KK33
			■	200 mm	900 mm	–	8GK6723-2KK23
3VA23.. and 3VA24..	400 A/630 A	1	–	400 mm	600 mm	–	8GK6740-4KK23
			■	400 mm	900 mm	8GK6745-4KK23	8GK6740-4KK33

## Vertical




Switches/breakers		Quantity	Motorized operating mechanism	Distribution board		With RCD module		Without RCD module				
Type	Rated current			Height outside	Width outside	Infeed side	At side					
3VA10.. and 3VA11..	100 A/160 A	1	-	200 mm	300 mm	-	-	8GK6731-2KK13				
				400 mm	250 mm	-	-	8GK6730-4KK43				
					300 mm	-	8GK6731-6KK13	8GK6730-4KK13				
					600 mm	250 mm	8GK6735-4KK43	-	-			
						300 mm	8GK6735-6KK13	-	-			
						400 mm	300 mm	-	8GK6738-6KK13	8GK6734-4KK13		
			600 mm	300 mm	8GK6736-6KK13	-	-					
	3	-	-	-	200 mm	600 mm	-	-	8GK6731-2KK23			
					400 mm	600 mm	-	8GK6731-6KK23	8GK6730-4KK23			
						900 mm	-	-	8GK6731-6KK33			
						600 mm	600 mm	8GK6735-6KK23	-	-		
							200 mm	600 mm	-	-	8GK6734-4KK23	
							400 mm	600 mm	-	8GK6737-6KK23	-	
			900 mm	-	8GK6737-6KK33	-	-					
			600 mm	600 mm	8GK6736-6KK23	-	-					
	5	-	-	-	200 mm	900 mm	-	-	8GK6731-2KK33			
					400 mm	900 mm	-	-	8GK6730-4KK33			
						200 mm	900 mm	-	-	8GK6734-4KK33		
					600 mm	900 mm	8GK6736-6KK33	-	-			
						400 mm	300 mm	-	-	8GK6721-4KK13		
						600 mm	250 mm	8GK6732-6KK13	-	8GK6730-6KK13		
3VA12..	250 A	1	-	400 mm	300 mm	-	-	8GK6721-4KK13				
					600 mm	250 mm	8GK6732-6KK13	-	8GK6730-6KK13			
						300 mm	-	8GK6722-6KK13	8GK6721-6KK13			
				3	-	-	-	400 mm	600 mm	-	-	8GK6721-4KK23
								600 mm	600 mm	-	8GK6724-6KK23	8GK6721-6KK23
									400 mm	600 mm	-	-
			600 mm	600 mm	-	8GK6723-6KK23	-					
	5	-	-	-	400 mm	900 mm	-	-	8GK6721-4KK33			
					600 mm	900 mm	-	8GK6724-6KK33	8GK6721-6KK33			
						400 mm	900 mm	-	-	8GK6722-6KK33		
							600 mm	900 mm	-	8GK6723-6KK33	-	
							400 mm	300 mm	-	-	8GK6720-4KK13	
						600 mm	300 mm	8GK6725-6KK13	-	-		
3VA20.. and 3VA22..	100 A/250 A	1	-	400 mm	300 mm	-	-	8GK6720-4KK13				
					600 mm	300 mm	8GK6725-6KK13	-	-			
				3	-	-	-	400 mm	600 mm	-	-	8GK6720-4KK23
								600 mm	600 mm	-	8GK6725-6KK23	-
									400 mm	600 mm	-	-
						600 mm	600 mm	-	-	8GK6720-4KK33		
5	-	-	-	400 mm	900 mm	-	-	8GK6720-4KK33				
				600 mm	900 mm	8GK6725-6KK33	-	-				
					400 mm	900 mm	-	-	8GK6724-4KK33			
3VA23.. and 3VA24..	400 A/630 A	1	-	600 mm	300 mm	-	-	8GK6740-6KK13				
					600 mm	600 mm	8GK6745-6KK23	-	8GK6740-6KK23			
					600 mm	900 mm	8GK6745-6KK33	-	8GK6740-6KK33			

# Assembly kits

## For 3KA7 switch disconnectors

Vertical



Switches/breakers Type	Description	Quantity	Distribution board				
			Height outside	Width outside	Depth		
3KA7	3KA711 size 1 max. 125 A	1	200 mm	600 mm	–	8GK6400-2KK20	
			400 mm	250 mm <sup>1)</sup>	–	8GK6400-4KK10	
				300 mm <sup>2)</sup>	–	8GK6400-4KK11	
			3	200 mm	900 mm	–	8GK6400-2KK30
	3KA712 size 2 max. 250 A	1	400 mm	250 mm <sup>1)</sup>	–	8GK6401-4KK10	
				300 mm <sup>2)</sup>	–	8GK6401-4KK12	
				600 mm	–	8GK6400-4KK20	
			3	400 mm	900 mm	–	8GK6400-4KK30
	3KA713 size 3 max. 400 A	1	400 mm	600 mm	–	8GK6401-4KK20	
			400 mm	900 mm	–	8GK6400-4KK31	
3KA7/3KL7	3KA7/3KL711 size 1 max. 125 A	1	400 mm	250 mm	250 mm	8GK6430-4KK03	
				300 mm	250 mm	8GK6430-4KK14	
			2	200 mm	600 mm	250 mm	8GK6430-4KK24
					900 mm	250 mm	8GK6430-4KK34
	3KA7/3KL712 size 2 max. 250 A	1	400 mm	250 mm	400 mm	8GK6431-4KK04	
				300 mm	400 mm	8GK6431-4KK14	
			2	400 mm	600 mm	250 mm	8GK6431-4KK24
					900 mm	250 mm	8GK6431-4KK34
	3KA7/3KL713 size 3 max. 400 A	1	400 mm	600 mm	400 mm	8GK6432-4KK24	
					900 mm	400 mm	8GK6432-4KK34
	3KA7/3KL714 size 4 max. 630 A	1	400 mm	600 mm	400 mm	8GK6433-4KK24	
					900 mm	400 mm	8GK6433-4KK34

<sup>1)</sup> In order to use box width 250 mm in the ALPHA 630 UNIVERSAL as a switchgear compartment, the following bars are required:

8GF9655 (height 1000 mm),  
8GF9656 (height 1200 mm),  
8GF9650 (height 1600 mm),  
8GF9658 (height 1800 mm),  
8GF9654 (height 2000 mm).

In order to use box width 250 mm in the ALPHA 800 UNIVERSAL as a switchgear compartment, you must order side supports and, for each assembly kit, a pair of crossbars 8GK9920-0KK01.

<sup>2)</sup> In order to use cubicle width 300 mm in the ALPHA 630 UNIVERSAL as a switchgear compartment, you require the following inner supports:

8GK9126-8KK03 (height 1600 mm),  
8GK9126-8KK04 (height 1800 mm),  
8GK9126-8KK05 (height 2000 mm).

In order to use cubicle width 300 mm in the ALPHA 800 UNIVERSAL as a switchgear compartment, you must order the following side supports:

8GK6850-0KK02 (height 1600 mm),  
8GK6850-0KK03 (height 1800 mm),  
8GK6850-0KK04 (height 2000 mm).

## For 3KF switch disconnectors with fuses

Vertical



Switches/breakers Type	Rated current	Operating mechanism in center	Door-coupling rotary operating mechanism	Distribution board			
				Height	Width	Depth	
2 × 3KF1	80 A	■	–	200 mm	600 mm	250 mm	8GK6431-2KK23
					900 mm	250 mm	8GK6431-2KK33
2 × 3KF2	160 A	■	–	200 mm	600 mm	250 mm	8GK6432-2KK23
					900 mm	250 mm	8GK6432-2KK33
2 × 3KF1/3KF2 or 1 × 3KF3/3KF4	400 A	–	■	400 mm	600 mm	400 mm	8GK6431-4KK33
					900 mm	400 mm	8GK6432-4KK33

## For 3KD switch disconnectors

Vertical



Switches/breakers Size	Rated current	Quantity	Door-coupling rotary operating mechanism	Distribution board		
				Height outside	Width outside	
1/2/3	63 A/250 A/400 A	1/1	■	400 mm	250 mm	8GK6430-4KK13
1/2/3/4	63 A/250 A/400 A/630 A	2/1	■	400 mm	600 mm	8GK6430-4KK23
1/2/3/4	63 A/250 A/400 A/630 A	2	■	400 mm	900 mm	8GK6430-4KK33

# Assembly kits

For modular installation devices



Switches/breakers		Distribution board		
No. of tiers	MW	Height outside	Width outside	
1	12	200 mm	300 mm	8GK6352-2KK13
	24	150 mm	600 mm	8GK6302-1KK23
		200 mm	600 mm	8GK6352-2KK23
	36	150 mm	900 mm	8GK6302-1KK33
		200 mm	900 mm	8GK6352-2KK33

## Accessories

### DIN rails




Version	Width	No. of tiers	Article No.
For mounting modular devices at various depths	600 mm	1	8GF9670
	900 mm	1	8GF9671

### Depth adapters 9 mm



Version	Width	No. of tiers	MW	Article No.
For linking 5SY and 5SJ on DIN rails, L 360 mm	600 mm	1	20	8GF9670-1

## For front cover with cutout



Switches/breakers No. of tiers	MW	Distribution board			
		Height outside	Width outside		
1	24	150 mm	600 mm	8GK9608-1KK22	
	24	200 mm	600 mm	8GK9608-1KK20	
	36	150 mm	900 mm	8GK9608-1KK32	
		200 mm	900 mm	8GK9608-1KK30	
2	48	300 mm	600 mm	8GK9608-2KK22	
		400 mm	600 mm	8GK9608-2KK20	
	72	300 mm	900 mm	8GK9608-2KK32	
		400 mm	900 mm	8GK9608-2KK30	
	108	450 mm	600 mm	8GK9608-3KK22	
		600 mm	600 mm	8GK9608-4KK20	
		600 mm	600 mm	900 mm	8GK9608-4KK30
			900 mm	900 mm	

## Accessories

## DIN rails

Version	Width	No. of tiers	Article No.
For mounting modular devices at various depths	600 mm	1	8GF9670
	900 mm	1	8GF9671



## Depth adapters 9 mm


Version	Width	No. of tiers	MW	Article No.
For linking 5SY and 5SJ on DIN rails, L 360 mm	600 mm	1	20	8GF9670-1



# Busbars

For ALPHA 800/630 UNIVERSAL distribution boards

## Vertical installation of rear busbars (single bars only)



Version	Width 600/900 mm	For a spacing of 150 mm, width 600/900 mm	Recessed, width 600/900 mm	Width 300 mm	Recessed, width 300 mm
Busbar supports:	8GF5764/65 (width 600 mm) 8GF5766/67 (width 900 mm)	8GF5762/63	8GF5764/65 (width 600 mm) 8GF5766/67 (width 900 mm)	8GF5768/70	8GF5768/70
Supplements:	Rear universal supports	8GK6850-0KK05/06 (2 units)	8GK6850-0KK05/06 (2 units)	8GK6850-0KK05/06 (1 unit)	–


## Horizontal busbars (single bars only)



Version	Front	Recessed	Front, with steps	Recessed, with steps
Busbar supports:	8GF5762/63	8GF5762/63	8GF5760/61	8GF5760/61
Supplements:	Holders 8GF9652 (width 600 mm) 8GF9653 (width 900 mm)	8GF9652 (width 600 mm) 8GF9653 (width 900 mm)	8GK9920-0KK35 (width 600 mm) 8GK9920-0KK36 (width 900 mm)	8GF9652 (width 600 mm) 8GF9653 (width 900 mm)
	Rear universal supports	–	8GK6850-0KK05/06 (2 units)	–



## For ALPHA 800 UNIVERSAL distribution boards

### Horizontal busbars at top (double bars only)



Version		
Busbar supports	With support plate	8GK9750-0KK02
	Without support plate	8PQ4000-1BA12
Supplements	If there is no support 8GK9750-0KK02 mounted onto the side of the cabling compartment, you will need to order an upper crossbar 8GK6850-0KK00.	

### Vertical busbars, for sides



Version		Double busbar with steps	Single busbar with steps	Double busbar	Busbar
Busbar supports:		8GK9750-0KK01	8GF5760/61	8GK9750-0KK02	8GF5762/63
Supplements	Lateral crossbar	8GK6850-0KK01	8GK6850-0KK01	8GK6850-0KK01	8GK6850-0KK01

# Busbars

		ALPHA 630	ALPHA 800
<b>Copper busbars</b>			
	<b>Busbar cross-section</b>	<b>Length</b>	<b>Article No.</b>
	15 × 5 mm	2000 mm	8GF5751
		1300 mm	8GF5771
	20 × 5 mm	2000 mm	8GF5737
		1300 mm	8GF5772
	30 × 5 mm	2000 mm	8GF5742
	1300 mm	8GF5773	
30 × 10 mm	2000 mm	8GF5752	
	1300 mm	8GF5774	

		ALPHA 630	ALPHA 800
<b>Copper grounding bars</b>			
	<b>Busbar cross-section</b>	<b>Length</b>	<b>Width</b>
	20 × 5 mm	1300/2000 mm	600 mm
			900 mm
			Article No.
			Article No.
			8GK9920-0KK10
			8GK9920-0KK13
			8GK9920-0KK10
			8GK9920-0KK13

## Busbar supports

		ALPHA 630	ALPHA 800
<b>Vertical, at side/horizontal, at front, graded</b>			
	<b>Busbar cross-section</b>	<b>Width</b>	<b>Number of poles</b>
	15/20/30 × 5 mm	600/900 mm	4-pole
	30 × 10 mm	600/900 mm	4-pole
	15/20/30 × 10 mm	600/900 mm	4-pole
	20/30 × 10 mm	600/900 mm	4-pole
		<b>Busbar center-to-center spacing</b>	<b>Article No.</b>
		50 mm	8GF5760
		50 mm	8GF5761
		50 mm	–
		50 mm	8GK9750-0KK01
		50 mm	–
		50 mm	8GK9750-0KK02

		ALPHA 630	ALPHA 800
<b>Vertical</b>			
	<b>Busbar cross-section</b>	<b>Width</b>	<b>Number of poles</b>
	15/20/30 × 5 mm	300 mm	4-pole
	30 × 10 mm	300 mm	4-pole
		<b>Busbar center-to-center spacing</b>	<b>Article No.</b>
		50 mm	8GF5768
		50 mm	8GF5770
		50 mm	8GF5770
		50 mm	8GF5770

		ALPHA 630	ALPHA 800
<b>Vertical, at rear</b>			
	<b>Busbar cross-section</b>	<b>Width</b>	<b>Number of poles</b>
	15/20/30 × 5 mm	600 mm	4-pole
		900 mm	4-pole
	30 × 10 mm	600 mm	4-pole
		900 mm	4-pole
		<b>Busbar center-to-center spacing</b>	<b>Article No.</b>
		50 mm	8GF5764
		50 mm	8GF5766
		50 mm	8GF5765
		50 mm	8GF5765
		50 mm	8GF5767
		50 mm	8GF5767

		ALPHA 630	ALPHA 800
<b>Horizontal, at front<sup>1)</sup></b>			
	<b>Busbar cross-section</b>	<b>Width</b>	<b>Number of poles</b>
	15/20/30 × 5 mm	300/600/900 mm	4-pole
	30 × 10 mm	300/600/900 mm	4-pole
		600/900 mm	4-pole
		<b>Busbar center-to-center spacing</b>	<b>Article No.</b>
		50 mm	8GF5762
		50 mm	8GF5763
		50 mm	–
		50 mm	8GK9608-1KK22

		ALPHA 630	ALPHA 800
<b>Horizontal, at top</b>			
	<b>Busbar cross-section</b>	<b>Width</b>	<b>Number of poles</b>
	20/30 × 10 mm	600/900 mm	4-pole
		<b>Busbar center-to-center spacing</b>	<b>Article No.</b>
		50 mm	–
		50 mm	8GK9750-0KK02
		50 mm	–
		50 mm	8PQ4000-1BA12

<sup>1)</sup> Can be mounted directly on device holders with a clearance of 525 mm (width 600 mm) and 825 mm (width 900 mm).

## Other accessories

				ALPHA 630	ALPHA 800
<b>Set of screws/bolts for slotted bars</b>					
	Cross-section	Outer thread	Tightening torque	Article No.	Article No.
	15/20/30 × 5 mm	M6	8 Nm	8GF5891	8GF5891
	30 × 10 mm	M8	20 Nm	8GF5892	8GF5892
<b>Crossbars for installation of support</b>					
	Version	Width		Article No.	Article No.
	Für 8GF5762, 8GF5760, 8GF5763, 8GK9608-1KK22	600 mm		8GF9652	8GF9652
		900 mm		8GF9653	8GF9653
	Für 8GF5760	600 mm		8GK9920-0KK35	8GK9920-0KK35
		900 mm		8GK9920-0KK36	8GK9920-0KK36
	Für 8GK9750-0KK02	400 mm		–	8GK6850-0KK00
Für 8GF5760, 8GF5768, 8GF5761, 8GF5770, 8GK9750-0KK01, 8GK9750-0KK02	400 mm		–	8GK6850-0KK01	
<b>Transparent cover</b>					
	Version	Width		Article No.	Article No.
	For horizontal busbars, at front	600 mm		8GK9920-0KK37	8GK9920-0KK37
		900 mm		8GK9920-0KK38	8GK9920-0KK38
<b>Connection kit for double bars</b>					
	Version	Current		Article No.	Article No.
	Connection kit for upper horizontal bars – vertical busbars	800 A		–	8GK9790-0KK00
	Connection kit for upper horizontal busbars	800 A		–	8GK9790-0KK01
<b>Holder for grounding bar</b>					
				Article No.	Article No.
				–	8GK9750-0KK00

# Accessories

## Covers and holders


125 630 800

### Covers for mounting measuring instruments



Measuring devices	Type	Height	Width	Article No.	125	630	800
72 × 72	2 instruments + 2 selectors	200 mm	600 mm	8GK9610-1KK20	■	■	■
			900 mm	8GK9610-1KK30	■	■	■
	4 instruments + 1 selector	200 mm	600 mm	8GK9611-1KK20	■	■	■
			900 mm	8GK9611-1KK30	■	■	■
96 × 96	2 instruments + 2 selectors	200 mm	600 mm	8GK9612-1KK20	■	■	■
			900 mm	8GK9612-1KK30	■	■	■
	4 instruments + 1 selector	200 mm	600 mm	8GK9613-1KK20	■	■	■
			900 mm	8GK9613-1KK30	■	■	■

### Covers for pushbuttons and indicator lights



Height	Width	Article No.	125	630	800
200 mm	600 mm	8GK9630-1KK20	■	■	■
	900 mm	8GK9631-1KK20	■	■	■

### Non-transparent covers



Height	Width	Article No.	125	630	800
50 mm	600 mm	8GK9620-1KK20	■	■	■
	900 mm	8GK9620-1KK30	■	■	■
100 mm	600 mm	8GK9621-1KK20	■	■	■
	900 mm	8GK9621-1KK30	■	■	■
150 mm	600 mm	8GK9622-1KK20	■	■	■
		8GK9622-1KK30	■	■	■
	300 mm	8GK9607-1KK10	■	■	■
		8GK9623-1KK20	■	■	■
200 mm	600 mm	8GK9623-1KK30	■	■	■
		8GK9606-2KK10	■	■	■
	300 mm	8GK9607-2KK10	■	■	■
		8GK9622-2KK20	■	■	■
400 mm	250 mm	8GK9622-2KK30	■	■	■
		8GK9606-4KK10	■	■	■
	300 mm	8GK9607-4KK10	■	■	■
		8GK9622-4KK20	■	■	■
600 mm	600 mm	8GK9622-4KK30	■	■	■
		8GK9606-5KK10	■	■	■
	300 mm	8GK9607-5KK10	■	■	■
		8GK9622-5KK20	■	■	■
800 mm	250 mm	8GK9622-5KK30	■	■	■
		8GK9606-7KK10	■	■	■
	300 mm	8GK9607-7KK10	■	■	■
		8GK9607-7KK10	■	■	■
1000 mm	250 mm	8GK9606-7KK10	■	■	■
	300 mm	8GK9607-7KK10	■	■	■

### Deep-drawn covers 25 mm

Height	Width	Article No.	125	630	800
800 mm	600 mm	8GK9635-5KK20	■	■	■
	900 mm	8GK9635-5KK30	■	■	■
1000 mm	600 mm	8GK9636-7KK20	■	■	■
	900 mm	8GK9636-7KK30	■	■	■

### Deep-drawn front covers 35 mm



Height	Width	Article No.	125	630	800
200 mm	600 mm	8GK9605-1KK20	■	■	■
	900 mm	8GK9605-1KK30	■	■	■
400 mm	600 mm	8GK9605-2KK20	■	■	■
	900 mm	8GK9605-2KK30	■	■	■
600 mm	600 mm	8GK9605-4KK20	■	■	■
	900 mm	8GK9605-4KK30	■	■	■

## Covers and holders

125 630 800

## Covers with ventilation openings IP30



Height	Width	Article No.	125	630	800
200 mm	600 mm	8GK9632-1KK20	■	■	■
	900 mm	8GK9633-1KK20	■	■	■

## Holders for horizontal cable ducts/horizontal busbars (pair)



Width	Article No.	125	630	800
600 mm	8GF9652	■	■	■
900 mm	8GF9653	■	■	■

## Horizontal crossbars with steps (pair)



Width	Article No.	125	630	800
600 mm	8GK9920-0KK35	■	■	■
900 mm	8GK9920-0KK36	■	■	■

## Support rails (pair)

- ALPHA 630 UNIVERSAL vertical/horizontal busbar support, with steps
- Vertical side terminal strip (not suitable for use in ALPHA 800 UNIVERSAL)



Height	Article No.	125	630	800
1000 mm	8GF9655	■	■	■
1200 mm	8GF9656	■	■	■
1600 mm	8GF9650	■	■	■
1800 mm	8GF9658	■	■	■
2000 mm	8GF9654	■	■	■

## Inner supports

- For using cubicle B 300 as a switchgear compartment in ALPHA 630 UNIVERSAL (not suitable for use in ALPHA 800 UNIVERSAL)



Height	Article No.	125	630	800
1600 mm	8GK9126-8KK03	■	■	■
1800 mm	8GK9126-8KK04	■	■	■
2000 mm	8GK9126-8KK05	■	■	■

# Accessories

## Mounting plates and internal partitions

125 630 800

### Modular mounting plates



- ALPHA 800 UNIVERSAL: for mounting on side supports or on the base of the cabinet

Height	Width	Article No.	125	630	800
200 mm	600 mm	8GF7155	■	■	■
	900 mm	8GF7158	■	■	■
400 mm	600 mm	8GF7156	■	■	■
	900 mm	8GF7160	■	■	■
600 mm	600 mm	8GF7157	■	■	■
	900 mm	8GF7161	■	■	■

### Recessed modular mounting plates



- ALPHA 800 UNIVERSAL: for mounting on two rear supports or on the rear panel of the cabinet with one rear support

Height	Width	Article No.	125	630	800
200 mm	600 mm	8GF9676	■	■	■
	900 mm	8GF9680	■	■	■
400 mm	600 mm	8GF9677	■	■	■
	900 mm	8GF9681	■	■	■
600 mm	600 mm	8GF9678	■	■	■
	900 mm	8GF9682	■	■	■

### 2 mm mounting plates for electrotechnical use with height and width of the cabinet



- ALPHA 800 UNIVERSAL: Plates that are not as high as the cabinet can be mounted using side supports and holders 8GF9652/3

Height	Width	Article No.	125	630	800
600 mm	600 mm	8GK9535-4KK21	■	■	■
800 mm	600 mm	8GK9535-5KK21	■	■	■
1000 mm	600 mm	8GK9536-7KK21	■	■	■
	900 mm	8GK9536-7KK31	■	■	■
1200 mm	600 mm	8GK9537-8KK21	■	■	■
	900 mm	8GK9537-8KK31	■	■	■
1600 mm	600 mm	8GK9535-8KK23	■	■	■
	900 mm	8GK9535-8KK26	■	■	■
1800 mm	600 mm	8GK9535-8KK24	■	■	■
	900 mm	8GK9535-8KK34	■	■	■
2000 mm	600 mm	8GK9535-8KK25	■	■	■
	900 mm	8GK9535-8KK35	■	■	■

### Adjustable depth brackets for mounting plates



Distribution board depth	Article No.	125	630	800
250 mm	8GK9930-0KK03		■	

### Partitions for ALPHA 630 UNIVERSAL



Mounting	Height	Width	Article No.	125	630	800
Horizontal	-	250 mm	8GK9525-0KK03		■	
		300 mm	8GK9525-0KK13		■	
		600 mm	8GK9525-0KK23		■	
		900 mm	8GK9525-0KK33		■	
Vertical	800 mm	-	8GK9525-5KK03		■	
	1000 mm	-	8GK9525-6KK03		■	
	1200 mm	-	8GK9525-7KK03		■	
	1600 mm	-	8GK9525-8KK03		■	
	1800 mm	-	8GK9525-8KK13		■	
	2000 mm	-	8GK9525-8KK23		■	

## Mounting plates and internal partitions

125 630 800

### Partitions for ALPHA 800 UNIVERSAL in cabinets in form 2b

Mounting	Height	Width	Article No.	125	630	800
 Horizontal partitions between devices	–	300 mm	8GK9526-0KK06			■
		600 mm	8GK9526-0KK07			■
		900 mm	8GK9526-0KK08			■
 Horizontal partitions between upper busbar compartment and devices	–	250 mm	8GK9527-0KK05			■
		300 mm	8GK9526-0KK03			■
		600 mm	8GK9526-0KK04			■
		900 mm	8GK9526-0KK05			■
 Vertical partitions between the switchgear compartment and busbar compartment	1600 mm	600 mm	8GK9526-0KK00			■
	1800 mm	600 mm	8GK9526-0KK01			■
	2000 mm	600 mm	8GK9526-0KK02			■

### Transparent covers


Width	Article No.	125	630	800
 250 mm	8GK9527-0KK03	■	■	■
300 mm	8GK9527-0KK00	■	■	■
600 mm	8GK9527-0KK01	■	■	■
900 mm	8GK9527-0KK02	■	■	■

# Accessories

## Holders for terminal strips and locking systems

125 630 800

### DIN rails for terminal blocks



Type	Height	Width	Article No.	125	630	800
Horizontal	–	600 mm	8GF9672	■	■	■
		900 mm	8GF9674	■	■	■
Horizontal, recessed	–	600 mm	8GF9673	■	■	■
		900 mm	8GF9675	■	■	■
Vertical with 3 mounting rails	200 mm	600 mm	8GF7175	■	■	■
	400 mm	600 mm	8GF7176	■	■	■
Vertical with 5 mounting rails	–	900 mm	8GF7178	■	■	■
	400 mm	900 mm	8GF7180	■	■	■


### Holder for vertical terminal strips in side compartment L = 900 mm



- ALPHA 800 UNIVERSAL: Each holder must be mounted onto a lateral crossbar

Width	Article No.	125	630	800
600/900 mm	8GF9683	■	■	■

### Mounting brackets



Version	Width	Article No.	125	630	800
For angular mounting of the terminal blocks	600/900 mm	8WA746	■	■	■

### Holders for DIN rails

Version	Scope of supply	Width	Article No.	125	630	800
For mounting the terminal strip vertically in the cabling compartment	4 units	600/900 mm	8GK9920-0KK28	■	■	■

### Standard locking devices for wall-mounted distribution boards



Material	Width	Article No.	125	630	800
Made of plastic, black (spare part)	600/900 mm	8GK9560-0KK04	■	■	■

### Seals for standard locking devices



Degree of protection	Width	Article No.	125	630	800
IP55	600/900 mm	8GK9560-0KK05	■	■	■

### Rotary handle locking mechanism



- For wall-mounted distribution boards, IP43 and IP55, semicylinder insert possible for E012

Width	Article No.	125	630	800
600/900 mm	8GK9560-0KK06	■	■	■

### Profile semicylinders E012

- Insert and key



Width	Article No.	125	630	800
600/900 mm	8GK9560-0KK07	■	■	■

### Locking systems for floor-mounted distribution boards



Type	Width	Article No.	125	630	800
Espagnolette lock with pushbutton (spare part)	600/900 mm	8GK9561-0KK01	■	■	■
Insert for profile semicylinder with key	600/900 mm	8GK9561-0KK02	■	■	■
Profile semicylinder, 40 mm with lock E012 (for use only with espagnolette lock)	600/900 mm	8GK9561-0KK00	■	■	■

## Further accessories

125 630 800

## Assembly kits for mounting flat pack cabinets for self-assembly, IP43

	Height	Article No.			
	400 mm	8GK9126-3KK00	■	■	■
600 mm	8GK9126-4KK00	■	■	■	
800 mm	8GK9126-5KK00	■	■	■	
1000 mm	8GK9126-6KK00	■	■	■	
1200 mm	8GK9126-7KK00	■	■	■	
1600 mm	8GK9126-8KK00	■	■	■	
1800 mm	8GK9126-8KK01	■	■	■	
2000 mm	8GK9126-8KK02	■	■	■	

## Z-shaped crossbar for lifting the flat pack for self-assembly

	Height	Article No.			
	600 mm	8GK9127-0KK01	■	■	■
900 mm	8GK9127-0KK02	■	■	■	
1200 mm	8GK9127-0KK03	■	■	■	
1500 mm	8GK9127-0KK04	■	■	■	
1800 mm	8GK9127-0KK05	■	■	■	

## Z-shaped crossbar for mounting and vertical linking of wall-mounted distribution boards

	Height	Article No.			
	1200 mm	8GK9920-0KK43	■	■	■
1400 mm	8GK9920-0KK44	■	■	■	
1600 mm	8GK9920-0KK45	■	■	■	
1800 mm	8GK9920-0KK46	■	■	■	

## Flange plates for flat pack delivery (optional)

	Height	Article No.			
	300 mm	8GK9120-0KK10	■	■	■
600 mm	8GK9120-0KK20	■	■	■	

## Ventilation grilles – side panels

	Scope of supply	Article No.			
	4 units	8GK9120-0KK30	■	■	■

## Spare part hinges for doors for wall/floor-mounted distribution boards

	Scope of supply	Article No.			
	2 units	8GK9920-0KK24	■	■	■

## Hinges for front covers


	Scope of supply	Article No.			
	10 units	8GK9120-0KK11	■	■	■

## Hinges for masking frames

	Article No.			
	8PQ2000-0BA08	■	■	■

# Accessories

## Further accessories

				125	630	800
<b>Quick-lock screws for ALPHA cabinets with ¼ turn</b>						
	Scope of supply		Article No.			
	20 units		8GK9562-0KK00	■	■	■
<b>Mounting kit for modular distribution boards, IP55 (incl. seal)</b>						
	Scope of supply		Article No.			
			8GK9920-0KK31	■	■	■
<b>Self-tapping screws M6 × 10</b>						
	Scope of supply		Article No.			
	10 units		8GF9662	■	■	■
<b>Captive nuts M6</b>						
	Scope of supply		Article No.			
	100 units		8GF9643	■	■	■
<b>Transport eyebolts</b>						
	Scope of supply		Article No.			
	4 units		8GF9660	■	■	■
<b>Key for double-bit interlocking mechanism</b>						
	Scope of supply		Article No.			
			8GD9290	■	■	■
<b>Siemens nameplate</b>						
	Material	Version	Color	Article No.		
	Aluminum	Self-adhesive	Petrol	8GD9084	■	■
	Sticker, foil	Self-adhesive	Petrol	8GF9661	■	■
<b>Circuit diagram pockets</b>						
	Types	Depth	Article No.			
	DIN A3, made of sheet steel	10 mm	8GK9910-0KK22	■	■	■
	DIN A4, transparent sleeve, adhered all-over	10 mm	8GK9910-0KK23	■	■	■
	DIN A4, made of plastic	30 mm	8GD9132	■	■	■
	DIN A4, large pack, made of plastic	30 mm	8GK9910-1KK24	■	■	■
<b>Blanking cover for modular installation devices</b>						
	Version		Article No.			
	For 12 modular widths (1 MW = 18 mm)		8GK9910-0KK00	■	■	■
<b>Cover strips</b>						
	Length		Article No.			
	1 m		8GK9910-0KK01	■	■	■
<b>Spare brackets for flat pack assembly</b>						
	Scope of supply		Article No.			
	2 units		8GK9920-0KK26	■	■	■
<b>Failsafe kit ALPHA</b>						
<ul style="list-style-type: none"> <li>Self-tapping screws, captive nuts, hinges for covers, covers etc.</li> </ul>			Article No.			
			8GK9920-0KK32	■	■	■
<b>Wall-mounting brackets</b>						
			Article No.			
			8GK9920-0KK33	■	■	■

